PARTYTENTS







HIGHLY QUALIFIED

RÖDER.

One of the leading companies in the tent business. The experts in the area of mobile real estate. The competent partner for production, rental and sales. Thanks to world-wide commitment, a dense distribution network, and the right know-how you will always receive the optimum service.

Quality is always of the utmost importance, which is why we have a strict control system for all our products. This guarantees the excellent stability and durability of the materials: high frequency of assembly and dismantling without loss of quality. It goes without saying that our quality control includes the storage, logistics and easy of assembly of all products. Finally we guarantee the provision of detailed building regulations, as well as the valid structural calculations all up to date and flawless. This and more make our seal of quality so special. Also the unique types and forms of party tents available from RÖDER meet every need you may have. With unusual architecture and an attractive and functional design.

Safety is of the highest priority, and due

to the types of material and inherent stability of the products, this has been guaranteed by the German TÜV for quality standards. The best indicator to quality also confirms this in that our clients stay loyal to us.



CONSTRUCTIVELY INNOVATIVE

Continual innovation is what makes RÖDER party tents so special. We are constantly being further developed, so we are always state-of-the-art.

For example, the "Mega" series, a generation of tents with unlimited application possibilities for every occasion. And with all the finest extras and accessories.

Or the latest addition, the party tent "Highlight". This series is characterized by numerous benefits: above all, excellent value for money, high efficiency due to low weight, and impressively easy handling. In short: it is ideal for customers who want to purchase a tent. Of course, these tents are compatible with the existing party tent range. Thanks to our flexible system, RÖDER party tents allow for individual space planning and realization. So we guarantee an ambience that lives up to even the highest demands. Every celebration gets the perfect framework and becomes an unforgettable experience for guests and host alike.



FAST AND FUNCTIONAL

RÖDER party tents can be assembled quickly and easily thanks to simple and solid connection joints, secured by drop nose bolts **5** or wrench bolts **1**. Simply push together the elements, and everything else takes care of itself. Assembly can be completed with hardly any tools. Purlin fork and lifting cables are supplied with complete tents, and useful technical aids, such as peg pullers **13**, roof feeders **11**, or a hydraulic hammer are available separately.

It is just as easy to hang the side covers. They can be fixed simply with rings **6** or runners **2** directly onto the curtain rails. The tensioning of the roof covers is achieved with a bungee cord **12**. A pull or push bar tensioning **9**, **10** can also be supplied, if required. The plastic coating on the steel cables protects the covers from dirt and damage. Wire cross bracing **8** or diagonal bracing **4** can be eliminated through the use of portal beams **3**, **7**. This allows entry to the tent at any position desired.



CLEVERLY DRESSED

Thanks to high-quality materials, the interior design of the tent is always a visual highlight.

And it goes without saying that fire safety and long material life are standard as well. The roof linings **1**,**2** are made of Trevira CS, a flame retardant material that fulfills the highest requirements. The material can be hung onto wire with karabiner hooks, into the available tent profile using the keder, or onto the eave beams with rubber loops. These options make hanging the material simple and easy. Roof linings can be supplied in either a folded **1** or flat **2** design, in a wide variety of colors. For the decoration of side walls or legs, wall linings are also available. Decoration flags **3** in the flame retardant material Trevira CS are available in various colors, patterns and sizes.

For optimum lighting, hanging and standing lamps **4** are available. They have an extremely long service life and are highly resistant to damage. The lamps are available in either black or white. If required, an emergency lighting system can also be supplied. Create alternative lighting effects through the use of clear roof panels **5**.

Just as stable and flexible in its use is the universal stage **6**. Through the use of a threaded pin, the height of the posts can be adjusted to compensate for unevenness in the flooring, allowing fast and easy use of the stage in every setting. Thanks to modular system, the stage is also extremely flexible in its size, and can be constructed from a 250 x 250 cm or 300 x 300 cm basis module to any size required. The top surface is made of high quality, plasticcoated plywood, so the stage can be used both indoors and outdoors.



REAL RESULTS

RÖDER flooring systems are the best basis for a successful event. Flexible systems allow the perfect design of the tent floor for every situation: from wooden floors on cut-wood or steel-aluminium foundations, up to aluminium cassette flooring with plastic-coated plywood in-fill or full aluminium hollow-profile sheeting.

The wooden floor boarding sheets are manufactured from planed pinewood, tongue and grooved. The material is 22.5 mm thick and is strengthened with hardwood slats. This, along with the use of hardened punch nails, allows a high level of loading. The sheets are finished flat on the sides, with the ends profiled to fit into an aluminium ring beam. The foundation made of galvanized steel beams provides the required stability.

Thanks to the patented, steel-aluminium foundation 1 - approved by TÜV, the German technical inspection authority – the use of ground pins is not necessary. Instead, the structure is stabilized by the use of special, easy-tocarry weights **3**. The stable sheeting for the cassette flooring **4** consists either of an aluminium frame with plastic-coated plywood **6** or, optionally, of full aluminium hollow-profile **7** sheeting in-fill.

The tent frame stands on this stable flooring. The posts are connected by special binders **5** to the aluminium ring beams. This means the tent can be constructed on uneven ground with no problem. By using a threaded pin **2**, unevenness can simply be leveled out. A side-by-side tent construction is made possible by the long wall connection designed for this system, a professional solution that perfectly solves the gap problem between the two separate floors.



COMPACT

This new patented and TÜV certified compact flooring system reaches a top load of 500 kg/m². The loads will taken down to the ground from the 21mm thick wooden board and the strong steel sub-construction.

This RÖDER compact flooring system is made for tents with 3m and 5m bay distances. There is only the need to change the left and right running beam, which are marking the bay distances. All other parts are for multiple use. So this flooring-system can be used for all types of tents. The size of a standard element is 2m x 1m. Total weight of one element is approx. 58 kg. This is an ideal weight for two people to handle. For putting down **1**, the boards have just to be connected one board with another, through special hooks. For the first boards special starting kits are delivered.

For tents like octagonals, hexagonals or others there are special shaped boards **2**.

Tents up to 10m width can be erected with this flooring system without staking. In connection with special weights **3** it is also possible to setup bigger structures stake-free.

There are only different baseplate headers **4**. The lower part is the same for all types of tents. The two parts are connected with bolts, according to the profile type.

The friction plate **5** allows us to get a much better friction coefficient as for friction on steel only.

The patented connection part **6** keeps all the boards in correct position and fixes them together as one area.

To tie up the tent to the flooring system the baseplate **7** will be fixed with pins to the flooring system.



FLEXIBLE AND COMPATIBLE

For covering RÖDER tents, only topquality covers made of extremely stable polyester material are used. The special low-wick thread ensures the highest safety. On top of this, a high-shine paint finish provides a surface where dirt cannot get a hold. The keder is coated on both sides and is also fireresistant (B1).

The tents can be opened at any time and any position, as all side and gable covers are split in the middle. The covers can be supplied with or without windows, as required. They are available in various colors, and in translucent, opaque or striped, if desired.

For special events, PVC doors **1** can be used as well. To help keep the material in top condition, transport boxes are also available. You have almost endless options for customizing your tent to fit your own individual requirements. Depending on use, you may choose side covers or solid plastic walling **3**. The use of window side covers **2**, **4**, for example, can give the tent that extra bit of character. In addition, you can choose from a multitude of special construction features, such as high membrane roofing, hip ends, rear extensions **5** and tent connections such as rain gutters **6**. So you always get exactly the tent you want.

PARTY TENT WIDTH 3 AND 4 M

PARTY TENT WIDTH 6 AND 8 M

PARTY TENT WIDTH 9 AND 10 M

























Clear-span		Eave/corner	
width:	Party: 3 – 10 m Holiday: 4 – 10 m	connection:	inter
Side height:	Party: 2.29 m Holiday: 2.30 m	Max. allowed wind speed:	50 r 0.3
Roof pitch:	Party: 20° Holiday: 18°	Covering:	PVC texti
Tent length:	No limit		to D
Holiday:	bay distance 3 m and 5 m		
Main profile:	Party: 81 x 48 x 3 mm Holiday: 110 x 68 x 3 mm		

VALUABLY VARIABLE



ernal eave insert

mph windloading 8 kN/m²

/C-coated polyester tile, flame retardant DIN 4102 B1, M2

HEXAGONAL PARTYOCTENT CLEAR-SPANTE6 AND 8 MW

OCTAGONAL PARTY TENT CLEAR-SPAN WIDTH 10 M PARTY TENT MEGAUNO WIDTH 6 AND 8 M PARTY TENT MEGADUO WIDTH 6 AND 8 M PARTY TENT MEGATERZ WIDTH 6 AND 8 M



0 cm / 800













600 cm / 800 cm

We always have something special in store. For example, the new cover material with unique properties inside and out. With this material, our research has managed to optimize cover quality even further.

600 cm

Thanks to the use of a specially developed yarn, fungus infestation and unattractive discoloration are things of the past. With the PVDF lacquer, the covers can more easily repel water, dirt and microbes. Our surface is exceptionally resistant to scratches and soiling, so it doesn't need to be cleaned so often. Due to the flame-retardant keder coated on both sides, the fabric structure in the keder area is especially protected. This positively affects the drying process after washing, and improves abrasion resistance during the insertion and removal of the keder.

In addition, our cover is made to measure, because we produce spare covers for every tent. In every size. Just as desired and always desirably inexpensive.

REDISCOVERING COVERS



MEGAQUATTRO WIDTH 8 M

PARTY TENT

Mega series: All Mega tents fit our 6 m and 8 m standard party tents.

ADDRESSES

RÖDER Zeltsysteme und Service AG

Am Lautenstein · DE-63654 Büdingen Fon: + 49 60 49 700-0 Fax: + 49 60 49 700-109 www.r-zs.com

RÖDER Zelt- und

Veranstaltungsservice GmbH (Produktion, Verkauf und Vermietung) Am Lautenstein · DE-63654 Büdingen Fon: + 49 60 49 700-0 Fax: + 49 60 49 700-339 www.r-zs.de

Copyright © 2005-2006 4th edition 10/2006 RÖDER Zelt- und Veranstaltungsservice GmbH

All rights reserved.

No part of this brochure may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage retrieval system, without the written permission of the publisher.

Technical subject to alteration.

Photos: Tobias Kern, RÖDER archives.

Orgatent AG

Gewerbe Badhus · CH-6022 Großwangen Fon: + 41 4 19 80 49 39 Fax: + 41 4 19 80 49 19 www.orgatent.ch

RÖDER France SARL

ZI No. 2 · 28, Allée Monge · FR-60 000 Beauvais Fon: + 33 3 44 02 88 76 Fax: + 33 3 44 05 39 26 www.r-zs.de/fr/

RÖDER Italia SRL

Via Vittorio Veneto 79 · IT-39042 Brixen Fon: + 39 04 72 83 09 39 Fax: + 39 04 72 83 29 09 www.r-zs.de/it/

RODER OOO

v. Chernaya Gryaz · 5A · Solnechnogorskiy area region moscow · RU-141580 Moscow Fon: + 7 49 57 85 81 57 Fax: + 7 49 57 85 81 58 www.roder-moscow.ru

RODER Tent Service (Shanghai) Co. Ltd.

 Building 9-10 No. 18 · Lane 399 Zhuguang Rd.

 Qingpu district · CN-201702 Shanghai

 Fon:
 + 86 21 59 88 66 05

 Fax:
 + 86 21 59 88 66 07

 www.roder-china.com

RODER Tent Service (Beijing) Co. Ltd.

Room 1109 Yiheng Mansion No. 28 Beisanhuan East Rd. · Chaoyang district CN-100013 Beijing Fon: + 86 10 64 40 55 71 Fax: + 86 10 64 40 52 19 www.roder-china.com

RÖDER UK Ltd.

Unit 16 · Earith Business Park · Meadow Drove Earith · Cambridgeshire · GB-PE28 3QF Fon: + 44 14 87 84 08 40 Fax: + 44 14 87 84 08 43 www.roder-uk.com

RÖDER Yapi Sistemleri San. Tic. Ltd. sti

Asmadali Sokak No 38 - Kosuyolu Kadikoy TR-34000 Istanbul Fon: + 90 21 63 40 89 10 Fax: + 90 21 63 39 43 23 www.r-zs.com

RÖDER GmbH Magyarországi

 Közvetlen Kereskedelmi Képviselete

 Széchenyi tér 21-23 II/6 · HU-6900 Makó

 Fon:
 + 36 62 21 20 71

 Fax:
 + 36 62 21 20 71

 www.roeder.hu

RÖDER Austria

Nr. 147 · AT-4175 Herzogsdorf Fon: + 43 72 31 33 09 3 Fax: + 43 72 31 33 09 3 www.r-zs.at

RÖDER Czechia

M. Krsnákové 119 · CZ-40317 Chabarovice Fon: + 42 04 75 21 47 93 Fax: + 42 04 75 21 47 93 www.roeder.cz

RÖDER España

Avda De La Ilustracion 11 · Casa 44 ES-50012 Zaragoza Fon: + 34 97 67 57 33 0 Fax: + 34 97 67 57 33 0 www.r-zs.de/es/



